





Maintain workplace social distancing.

The ShockWatch Social Distancing System (SDS) is a proximity monitoring solution designed to maintain the recommended safe physical distance between people within a workplace (offices, warehouses, logistics centres, workshops, etc).

All that's required is for staff to wear the Social Distancing Tag (SD Tag/Badge Tag) which establishes a safety perimeter with two zones. The 4m 'warning' zone turns on an amber signal, whereas the 2m 'alarm' zone beeps and alerts with a




red light. Please note that these distances are configurable.

The SDS uses the latest Ultra Wideband technology and does not require any infrastructure. SD Tags are equipped with vibration, buzzer and LED alert functionality, can be recharged wirelessly, and sanitised safely (IP67-rated). They also incorporate non-movement and fall warning systems.

Data analysis of interactions for each T10R-SD Tag is performed with an SD Router and Software.



How It Works.



Download Interation Data from TAGS to Software

System Components.



Social Distancing Tag

Includes 4 LED light modes, vibration alert. 3 levels of audible alert.



Social Distancing
Tag (w/card holder)

Includes 4 LED light modes, vibration alert. 3 levels of audible alert. Card holder functionality.



Wireless Charger Station for 1 x Tag

Charging base for single SD Tag/(w/badge).



Wireless Charging
Station + Wall
Mount for 12 x
Tags

Charging base for up to 12 SD Tag/(w/badge).



SD Router

Communicates
with T-10 RSD Tags
to download the
interaction logs to
the SD Software and
to configure them.



SD Software

Program to show logs and to configure Tags

Advantages

- Ultra Wideband radio frequency
- High-intensity LED lighting
- Two adjustable zones (0.1~4m) for warning and alarm
- No infrastructure required (Tag-to-Tag)
- Wireless charging with 16-hour battery life
- Non-movement warning system
- Fall warning system

- Waterproof (IP67) for ease of disinfection
- Panic button
- 3 levels of audible alert
- Vibration mute
- Simple data download for TAG interactions with SD Router and Software